

Hangler 4-aks 4,20m 2-delt heldækkende rampe, Maskintrailer



Poulsen Biler ApS
Vrøndingvej 8A
8700 Horsens

Sælgere
Philip K. Bredahl
philip@poulsentrucks.com
+45 74 67 11 12
+45 28 90 01 31

Magnus K Jensen
magnus@poulsentrucks.com
+45 28 70 40 03

| Basis | | Chassis | | Tyres | |
|--------------|----------|---------------------------|----------|---------------------|-----------------|
| Type | Trailers | Total axle load | 30.000kg | Dimensions | 235/75 R17,5" |
| Aksel | 4 | Axle type | SAF | 1st axle tyres L-R% | 100/100-100/100 |
| Stand | Ny | Airsuspension | ✓ | 2nd axle tyres L-R% | 100/100-100/100 |
| Registration | | Technical total axle load | 44.000kg | 3rd axle tyres L-R% | 100/100-100/100 |
| Year | 2025 | Kingpin pressure | 18.000kg | 4th axle tyres L-R% | 100/100-100/100 |
| Ref. no. | 5078 | 1st axle lifting | ✓ | Weight | |
| Fabriksny | ✓ | Self-track steering axle | 3+4 | Loading capacity | 37.400kg |
| Brakes | | Fifth wheel height | 1.200mm | Total weight | 48.000kg |
| Drum brakes | ✓ | truck body / box | | Empty weight | 10.600kg |
| | | Bottom | Stål+træ | | |
| | | Hydraulic ramps | ✓ | | |
| | | 10 ton lashing eyes | 26 stk. | | |
| | | 5 ton lashing eyes | 4 stk. | | |

Beskrivelse

NEW HANGLER machine trailer with hydraulic ramps.

The trailer is FULLY GALVANIZED with laced edge rails!

Strong machine trailer constructed of steel frame and bottom, with 70mm powerful wooden planks. Pre-rescue plans are stored in the center of the charging base.

4 BPW/SAF axles with drum brakes.

4 5 tonnes of shrubs at the front of the swan Neck, and 22 10 tons of securing vessels distributed along the edge rails (11 PCs per side)

16 Chain stick Holes (8 pcs per side) possibility of purchase of 5 tons of securing vessels for mounting in chain-stick holes.

Extractable pre-release signs for 3,000 mm, with reflective planks and LED position lights. Removable rotor light on one ramp and 4 LED work lamps (2 on side + 2 rear)

Electric hydraulic motor mounted in the Ramp Control Toolbox. Gets power via 24V NATO plugs from pulls.
2-Split ramps length 3,600 mm, width 750mm

2 King Bolt Locations-300mm in between.

We have more machine trailers on the road-contact us for more information at 74671112 or
Mail@poulsenbiler.com













